


# STAINLESS STEEL SOCKET SCREWS


(Hex Drive) - Metric



Diameter	Length	304				316	
		CAP	GRUB	CSK	BUTTON	CAP	CSK
		DIN 912	DIN 916	DIN 7991	ISO7380	DIN 912	DIN 7991
M2	12			.			
M3	3		.				
M3	4		.				
M3	5		.				
M3	6		.				
M3	8	.	.		.	.	
M3	10	.	.		.	.	
M3	12	.	.			.	
M3	16		.		.	.	
M3	20	.	.			.	
M3	25	.					
M4	4		.				
M4	5		.				
M4	6		.				
M4	8		.		.		.
M4	10		.		.	.	.
M4	12	.	.	.	.	.	.
M4	16	.	.		.	.	.
M4	20	.	.	.		.	.
M4	25	.				.	.
M5	5		.				
M5	6		.				
M5	8		.				
M5	10	.	.		.	.	
M5	12	.	.	.	.	.	.
M5	16	.	.	.	.	.	.
M5	20	.	.	.	.	.	.
M5	25	.	.	.	.	.	.
M5	30	.	.	.	.	.	.
M5	35	.	.				
M5	40	.		.			
M5	50	.					
M5	70					.	
M6	6		.				
M6	8		.				
M6	10		.	.	.		
M6	12	.	.	.	.	.	.
M6	16	.	.	.	.	.	.
M6	20	.	.	.	.	.	.
M6	25	.	.	.	.	.	.
M6	30	.		.	.	.	.
M6	32	.					
M6	35	.				.	.
M6	40	.	.	.	.	.	
M6	45	.	.				
M6	50	.		.			
M6	60					.	
M6	80					.	

# STAINLESS STEEL SOCKET SCREWS


(Hex Drive) - Metric



Diameter	Length	304				316	
		CAP	GRUB	CSK	BUTTON	CAP	CSK
		DIN 912	DIN 916	DIN 7991	ISO7380	DIN 912	DIN 7991
M8	8		•				
M8	10		•				
M8	12		•				
M8	16	•	•	•	•	•	
M8	20	•		•	•	•	•
M8	25	•		•	•	•	•
M8	30	•		•	•	•	•
M8	35	•				•	•
M8	40	•	•	•	•	•	•
M8	45	•					
M8	50	•		•	•		
M8	60	•					
M8	70					•	
M10	10		•				
M10	12		•				
M10	16					•	
M10	20	•	•		•	•	•
M10	25	•				•	•
M10	30	•			•	•	•
M10	35	•				•	•
M10	40	•			•	•	•
M10	50	•				•	•
M10	60	•		•			
M10	70					•	•
M12	12		•				
M12	20	•	•				
M12	25	•					
M12	30	•					•
M12	35	•					
M12	40	•					
M12	50	•		•			•
M16	70					•	

# STAINLESS STEEL SOCKET SCREWS


(Hex Drive) - Imperial



Diameter	Length	304		316	
		CAP	GRUB	CAP	GRUB
3/16	3/16			•	
3/16	1/4		•		
3/16	1/2	•			
3/16	3/4	•			
3/16	1	•			
3/16	2	•			
1/4	1/4		•		•
1/4	5/16		•		
1/4	3/8	•			
1/4	1/2	•	•	•	•
1/4	5/8	•	•		
1/4	3/4	•	•		
1/4	1 1/4	•			
1/4	1 1/2	•			
1/4	2	•		•	
1/4	3	•			
5/16	3/8		•		
5/16	1/2	•	•		•
5/16	3/4	•	•	•	
5/16	1	•			
5/16	2	•		•	
3/8	3/8	•	•		•
3/8	1/2		•		
3/8	5/8	•	•		
3/8	3/4	•	•		
3/8	1	•	•		
3/8	1 1/4	•			
3/8	1 1/2	•			
3/8	2	•			
1/2	1/2	•			
1/2	3/4	•			
1/2	1	•			

# STEEL SOCKET SCREWS


(Hex Drive) - Metric



Steel Self Coloured					
Diameter	Length	CAP	GRUB	CSK	BUTTON
M3	3		•		
M3	5	•			
M3	8				•
M3	10			•	•
M3	12			•	
M3	16	•			•
M3	30	•			
M4	6		•		
M4	8		•		•
M4	10	•	•		•
M4	12	•		•	•
M4	16	•		•	•
M4	20	•		•	
M4	25	•		•	
M5	5		•		
M5	6		•		
M5	8				
M5	10	•	•	•	•
M5	12		•	•	•
M5	16	•		•	•
M5	20	•		•	•
M5	25	•		•	•
M5	30	•			•
M5	35	•			
M5	40	•			
M5	50	•			
M5	55	•			
M5	70	•			
M6	6		•		
M6	10	•	•		•
M6	12		•	•	•
M6	16	•	•	•	
M6	20	•	•	•	•
M6	25	•		•	
M6	30	•			
M6	35	•		•	
M6	40	•		•	
M6	45	•			
M6	50	•			
M6	60	•			
M6	70	•			
M6	90	•			

# STEEL SOCKET SCREWS


(Hex Drive) - Metric



Steel Self coloured					
Diameter	Length	CAP	GRUB	CSK	BUTTON
M8	8		•		
M8	10			•	
M8	12	•	•	•	•
M8	16	•	•	•	
M8	20	•		•	
M8	25	•	•	•	
M8	30	•	•		
M8	35	•			
M8	40	•		•	
M8	45	•			
M8	50	•		•	
M8	65	•			
M8	70	•		•	
M8	75	•			
M8	90	•			
M10	10		•		
M10	12		•		
M10	16		•		
M10	20	•	•	•	
M10	25	•		•	
M10	30	•		•	•
M10	35	•		•	
M10	40	•		•	
M10	45	•			
M10	50	•		•	
M10	55	•			
M10	60	•		•	
M10	65	•			
M10	70	•		•	
M10	80	•			
M10	100	•			
M10	110	•			
M10	130	•			
M12	12		•		
M12	20		•	•	
M12	25	•	•		
M12	30	•			•
M12	35	•		•	
M12	40	•			•
M12	45	•			
M12	50	•		•	
M12	55	•			
M12	60	•			
M12	65	•			
M12	70	•			
M12	80	•			
M12	90	•			
M12	100	•			
M12	120	•			
M16	25		•		
M16	50	•			
M16	70	•			
M20	40			•	
M20	60	•			

# STEEL SOCKET SCREWS

(Hex Drive) - Imperial



Steel Self Coloured				
Diameter	Length	GRUB	CSK	CAP
3/16	3/8	•		
3/16	1/2			•
3/16	3/4			•
3/16	1			•
3/16	2			•
1/4	3/8			•
1/4	1/2	•		•
1/4	5/8			•
1/4	3/4			•
1/4	1	•	•	•
1/4	1 1/2	•		
5/16	1/2			•
5/16	5/8			•
5/16	3/4			•
5/16	1	•		•
5/16	1 1/4			•
5/16	1 1/2		•	•
5/16	2			•
5/16	2 1/2			•
5/16	3			•
3/8	1/2	•		
3/8	3/4			•
3/8	1		•	•
3/8	1 1/2		•	•
3/8	2		•	•
3/8	2 1/2		•	
3/8	3		•	
3/8	4			•
1/2	1/2	•		
1/2	1 1/4		•	•
1/2	1 1/2		•	•
1/2	2		•	•
1/2	3		•	•
1/2	2 1/2			•
5/8	1		•	
5/8	1 1/4			•
5/8	2		•	
5/8	4			•
5/8	5			•
5/8	6			•
3/4	3			•
3/4	5			•
7/8	2 1/2			•
1	2			•
1	3			•
1 1/2	3			•

# STEEL GUTTER BOLTS

## Mushroom Head Slot Drive



### - Metric

Steel -Zinc Plated			
Diameter	Length	Bolt	Bolt & Nut
M5	10	•	•
M5	12	•	•
M5	16	•	•
M5	20	•	•
M5	25	•	•
M5	30	•	•
M5	40	•	•
M5	50	•	•
M5	60	•	•
M5	80	•	•
M6	10	•	•
M6	12	•	•
M6	16	•	•
M6	20	•	•
M6	25	•	•
M6	30	•	•
M6	35	•	•
M6	40	•	•
M6	45	•	•
M6	50	•	•
M6	60	•	•
M6	80	•	•

### - Imperial

Steel -Zinc Plated			
Diameter	Length	Bolt	Bolt & Nut
3/16	3/8	•	•
3/16	1/2	•	•
3/16	5/8	•	•
3/16	3/4	•	•
3/16	1	•	•
3/16	1 1/4	•	•
3/16	1 1/2	•	•
3/16	1 3/4	•	•
3/16	2	•	•
3/16	2 1/2	•	•
3/16	3	•	•
1/4	3/8	•	•
1/4	1/2	•	•
1/4	5/8	•	•
1/4	3/4	•	•
1/4	1	•	•
1/4	1 1/4	•	•
1/4	1 1/2	•	•
1/4	1 3/4	•	•
1/4	2	•	•
1/4	2 1/2	•	•
1/4	3	•	•

# STAINLESS STEEL MACHINE SCREWS - Metric



304						
Diameter	Length	Slot			Phillips	
		CSK	PAN	CHEESE	CSK	PAN
		DIN 963	DIN 85A	DIN 965A	DIN 7985A	DIN 84A
M3	8	•				•
M3	10	•	•			•
M3	12	•	•			•
M3	16	•	•			•
M3	20	•	•			•
M3	40					•
M3	50					•
M4	5	•			•	
M4	6	•			•	•
M4	8	•		•	•	•
M4	10	•	•	•		•
M4	12	•	•	•	•	•
M4	16	•	•	•		•
M4	20	•	•	•	•	•
M4	25	•	•	•	•	•
M4	30					•
M4	35	•	•		•	•
M4	50				•	•
M5	8	•	•	•	•	•
M5	10	•	•	•	•	•
M5	12		•			
M5	14	•	•	•	•	•
M5	16	•	•	•	•	•
M5	20	•	•	•	•	•
M5	25	•	•	•	•	•
M5	30				•	•
M5	35	•	•	•	•	•
M5	40		•			
M5	45	•	•	•		•
M5	50		•			•
M5	60					•

# STAINLESS STEEL MACHINE SCREWS - Metric



		304				
Diameter	Length	Slot		Phillips		
		CSK	PAN	CHEESE	CSK	PAN
		DIN 963	DIN 85A	DIN 965A	DIN 7985A	DIN 84A
M6	8		•		•	•
M6	10	•	•	•	•	•
M6	12	•	•	•	•	•
M6	16	•	•	•	•	•
M6	20	•	•	•	•	•
M6	25	•	•	•	•	•
M6	30		•		•	•
M6	35	•	•	•	•	•
M6	40	•	•	•	•	•
M6	55	•				
M6	60	•				
M6	65	•				
M6	100			•		
M8	12	•		•		
M8	16	•		•		
M8	20	•	•	•		
M8	25	•		•		
M8	30	•				
M8	35	•	•	•		
M8	40	•				
M8	45	•		•		
M8	50	•				
M8	55	•				
M8	60			•		
M8	75	•				
M10	20	•				
M10	25	•				
M10	30	•				
M10	35	•				
M10	40	•				
M10	50	•				
M12	25	•				
M12	30	•				

# STAINLESS STEEL MACHINE SCREWS - Imperial



304			
Slot			
Diameter	Length	CSK	RND
1/8	1/4	•	
1/8	3/8		•
1/8	1/2	•	•
1/8	5/8	•	•
1/8	3/4	•	•
1/8	1	•	•
1/8	1 1/2		•
1/8	2	•	
5/32	3/8		•
5/32	1/2	•	•
5/32	3/4	•	•
5/32	1	•	•
5/32	1 1/4	•	•
5/32	1 1/2		•
5/32	2		•
3/16	1/4	•	•
3/16	5/16	•	
3/16	3/8	•	•
3/16	1/2	•	•
3/16	5/8	•	•
3/16	3/4	•	•
3/16	1	•	•
3/16	1 1/4	•	•
3/16	1 1/2	•	•
3/16	1 3/4	•	•
3/16	2	•	•
3/16	2 1/2	•	•
3/16	3	•	•
3/16	4	•	
1/4	3/8	•	•
1/4	1/2	•	•
1/4	5/8	•	•
1/4	3/4	•	•
1/4	7/8	•	
1/4	1	•	•
1/4	1 1/4	•	•
1/4	1 1/2	•	•
1/4	1 3/4	•	•
1/4	2	•	•
1/4	2 1/4	•	
1/4	2 1/2	•	•
1/4	3	•	•
1/4	4	•	•

304			
Slot			
Diameter	Length	CSK	RND
5/16	1/2	•	•
5/16	3/4	•	•
5/16	1	•	•
5/16	1 1/4	•	•
5/16	1 1/2	•	•
5/16	1 3/4	•	
5/16	2	•	•
5/16	2 1/2	•	•
5/16	3	•	•
5/16	4	•	•
5/16	4 1/2	•	
3/8	3/4	•	•
3/8	1	•	•
3/8	1 1/4	•	•
3/8	1 1/2	•	•
3/8	1 3/4	•	
3/8	2	•	•
3/8	2 1/2	•	•
3/8	3	•	•
3/8	3 1/2	•	
3/8	4	•	
3/8	5	•	
3/8	6	•	
1/2	1	•	
1/2	1 1/2	•	
1/2	2	•	
1/2	3	•	
1/2	4	•	

# STEEL MACHINE SCREWS



## - Metric

Zinc Plated						
Diameter	Length	Slot			Pozi	
		CSK	PAN	CHEESE	CSK	PAN
M2	6	•				
M2	10			•		
M3	6	•	•	•	•	•
M3	8	•	•		•	•
M3	10	•	•		•	•
M3	12	•	•		•	•
M3	16	•	•		•	•
M3	20	•	•		•	•
M3	25		•		•	•
M3	30	•	•		•	•
M3	35				•	
M3	40	•	•			
M3	50	•	•			
M4	5		•			
M4	6	•			•	•
M4	8	•	•		•	•
M4	10	•	•	•	•	•
M4	12	•	•	•	•	•
M4	16	•	•		•	•
M4	20	•	•	•	•	•
M4	25	•	•	•	•	•
M4	30	•	•	•		
M4	35	•	•		•	•
M4	40	•	•			•
M4	50	•	•	•	•	•
M5	8		•			•
M5	10	•	•		•	•
M5	12	•	•		•	•
M5	16	•	•		•	•
M5	20	•	•		•	•
M5	25	•	•	•	•	•
M5	30	•	•			•
M5	35	•	•			•
M5	40	•	•		•	•
M5	50	•	•			•
M6	10	•	•		•	•
M6	12	•	•		•	•
M6	16	•	•		•	•
M6	20	•	•		•	•
M6	25	•	•		•	•
M6	30	•	•		•	•
M6	35	•	•			•
M6	40	•	•		•	•
M6	50	•	•		•	•
M6	55		•			
M8	12		•			
M8	16	•	•			
M8	20	•	•			•
M8	25	•	•			
M8	30	•	•			
M8	40	•	•			
M8	45					
M8	50		•			
M8	75		•			
M10	10				•	
M10	20		•			

Note: Some sizes available in Phillips, subject to availability.

# STEEL MACHINE SCREWS



## - Imperial

Zinc Plated			
Slot			
Diameter	Length	CSK	RND
1/8	1/4		•
1/8	3/8		•
1/8	1/2		•
1/8	5/8		•
1/8	3/4		•
1/8	7/8		•
1/8	1	•	
1/8	1 1/4		•
1/8	1 1/2		•
1/8	1 3/4		•
1/8	2	•	
5/32	1/4		•
5/32	3/8		•
5/32	1/2		•
5/32	5/8		•
5/32	3/4		•
5/32	1	•	•
5/32	1 1/4	•	•
5/32	1 1/2	•	•
5/32	1 3/4		•
5/32	2	•	•
3/16	1/4	•	•
3/16	3/8	•	•
3/16	1/2	•	•
3/16	5/8	•	•
3/16	3/4	•	•
3/16	1	•	•
3/16	1 1/4		•
3/16	1 1/2	•	•
3/16	1 3/4		•
3/16	2	•	•
3/16	2 1/2		•
3/16	3	•	

Zinc Plated			
Slot			
Diameter	Length	CSK	RND
5/16	1/2	•	•
5/16	3/4	•	•
5/16	1	•	•
5/16	1 1/4	•	•
5/16	1 1/2	•	•
5/16	1 3/4	•	
5/16	2	•	•
5/16	2 1/2	•	•
5/16	3	•	•
5/16	4	•	•
5/16	4 1/2	•	
3/8	3/4	•	•
3/8	1	•	•
3/8	1 1/4	•	•
3/8	1 1/2	•	•
3/8	1 3/4	•	
3/8	2	•	•
3/8	2 1/2	•	•
3/8	3	•	•
3/8	3 1/2	•	
3/8	4	•	
3/8	5	•	
3/8	6	•	
1/2	1	•	
1/2	1 1/2	•	
1/2	2	•	
1/2	3	•	
1/2	4	•	

# BRASS MACHINE SCREWS



## - Metric

Self Coloured		
Slot		
Diameter	Length	PAN
M3	6	•
M3	16	•
M3	20	•
M3	25	•
M3	40	•
M4	8	•
M4	10	•
M4	16	•
M4	20	•
M4	25	•
M4	30	•
M5	8	•
M5	10	•
M5	16	•
M5	25	•
M5	30	•
M5	50	•
M6	10	•
M6	12	•
M6	16	•
M6	20	•
M6	25	•
M6	30	•
M6	40	•
M6	50	•

## - Imperial

Self Coloured			
Slot			
Diameter	Length	CSK	RND
1/8	1/4	•	
1/8	1/2	•	•
1/8	3/4	•	•
1/8	1	•	•
1/8	1 1/4	•	•
1/8	2	•	
5/32	3/8		•
5/32	1/2		•
5/32	3/4	•	•
5/32	1 1/4	•	•
5/32	1 1/2	•	•
5/32	2	•	•
3/16	3/8		•
3/16	1/2		•
3/16	5/8		•
3/16	3/4	•	•
3/16	1	•	
3/16	1 1/4	•	•
3/16	1 1/2		•
3/16	2	•	•
1/4	1/2		•
1/4	5/8		•
1/4	3/4	•	•
1/4	1	•	
1/4	1 1/4		•
1/4	1 1/2	•	•
1/4	2	•	•

# STAINLESS STEEL SELF TAPPERS Type AB Point - Imperial



Gauge	Length	Square		Pozi		Slot		Phillips	
		CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN
4	1/4				•				
4	3/8			•	•			•	
4	1/2		•	•	•	•	•		
4	5/8			•	•				
4	3/4		•	•	•		•		
4	1		•	•					
6	1/4				•		•		
6	5/16								
6	3/8		•	•	•	•			
6	1/2	•	•	•	•	•			•
6	5/8			•	•	•		•	•
6	3/4	•	•	•	•	•			•
6	1	•	•	•	•				
6	1 1/4	•	•	•	•				
6	1 1/2	•	•	•	•				
6	2	•	•		•				
8	1/4						•		
8	3/8		•	•	•	•	•		
8	1/2	•	•	•	•				
8	5/8	•		•	•	•	•		
8	3/4	•	•	•	•			•	
8	1	•	•	•	•				•
8	1 1/4	•	•	•	•	•		•	
8	1 1/2	•	•	•	•				
8	1 3/4			•					
8	2	•	•	•	•				
8	2 1/2	•		•	•				
8	3		•	•	•				
10	3/8			•	•				
10	1/2	•	•	•	•	•	•		
10	5/8		•	•	•		•		
10	3/4	•	•	•	•				
10	1	•	•	•	•				
10	1 1/4	•	•	•	•	•			
10	1 1/2	•	•	•	•				
10	2	•	•	•	•				
10	2 1/2	•	•	•	•			•	
10	3			•				•	
12	1/2								
12	3/4			•	•	•	•	•	•
12	1			•	•	•		•	•
12	1 1/4			•	•	•	•	•	•
12	1 1/2			•	•			•	
12	2			•	•	•	•	•	•
12	2 1/2			•	•			•	
12	3			•	•			•	•
14	1/2			•					
14	3/4						•		•
14	1					•		•	•
14	1 1/4			•			•	•	•
14	1 1/2			•		•	•	•	•
14	2			•		•	•	•	•
14	2 1/2							•	
14	3			•				•	•

Self Tapping Screws	
4 gauge	#0 Drive
6 - 8 gauge	#1 or #2 drive
10 gauge	#2 drive only
12 - 14 gauge	#3 drive

Products are available in alternative points (either Point T17 or T25)

# STEEL SELF TAPPERS




## Type AB Point - Imperial

		Zinc Plated			
Gauge	Length	Slot		Pozi	
		CSK	PAN	CSK	PAN
4	1/4				•
4	3/8		•	•	•
4	1/2		•	•	•
4	5/8		•	•	•
4	3/4		•	•	•
4	1				•
6	1/4		•	•	•
6	5/16		•		
6	3/8	•	•	•	•
6	1/2	•	•	•	•
6	5/8		•	•	•
6	3/4	•	•	•	•
6	1	•	•	•	•
6	1 1/4		•		•
6	1 1/2		•	•	•
8	3/8	•			•
8	1/2	•	•		•
8	5/8		•	•	•
8	3/4	•	•	•	•
8	1		•	•	•
8	1 1/4	•	•	•	•
8	1 1/2	•	•	•	•
8	1 3/4				•
8	2	•	•	•	•
10	3/8		•		•
10	1/2		•		•
10	5/8				•
10	3/4	•		•	•
10	1	•		•	•
10	1 1/4	•		•	•
10	1 1/2	•		•	•
10	2	•	•	•	•
12	1/2		•		•
12	3/4		•		•
12	1		•		•
12	1 1/4	•	•		•
12	1 1/2	•	•		•
12	2			•	•
12	3			•	
14	1/2		•		
14	3/4		•		•
14	1		•		•
14	1 1/4		•		•
14	1 1/2		•		•

Self Tapping Screws	
4 gauge	#0 Drive
6 - 8 gauge	#1 or #2 drive
10 gauge	#2 drive only
12 - 14 gauge	#3 drive

# STEEL TEK SCREWS

## Self Drilling - Metal Fixing



Gauge	Length	HEX		YZC	Class 4/M/G
		Threads per inch			
10	16	16	24	•	•
10	25	16		•	•
12	20	14	24	•	•
12	25	14	24	•	•
12	35	14	24	•	•
12	45	14		•	•
12	55	14		•	•
12	65	14		•	•
12	75	14		•	•
14	22	10		•	•
14	42	10		•	•
14	50	10		•	•
14	65	10		•	•
14	75	10		•	•
14	90	10		•	•
14	115	10		•	•
14	150	10		•	•

Highlighted products indicate Tek Screws with/without an attached Neo (EPDM Rubber Washer).

CSK			
Diameter	Length	Threads per inch	M/G
12	25	11	•
12	25	11	•
12	40	11	•
12	50	11	•
12	65	11	•
14	50	10	•
14	65	10	•
14	75	10	•
14	100	10	•
14	125	10	•

Available with coloured heads. Contact Mico Metals for colour options.

WAFFER				
Gauge	Length	Threads per inch	YZC	M/G
10	16	16	•	•
10	16	24	•	•
10	22	16	•	•
10	22	24	•	•
10	30	24	•	•

# STEEL WING TEK SCREWS

## Self Drilling



CSK			
Diameter	Length	Threads per inch	YZC
10	30	16	•
10	35	16	•
10	40	16	•
10	45	16	•
10	50	16	•
10	57	16	•
10	70	16	•
10	75	16	•
14	50	16	•

Refer to page 66 for Tek Screw drilling capacities.

# STEEL T17 SCREWS

## Self Drilling




HEX				
Gauge	Length	Threads per inch	YZC	M/G
12	25	11	•	•
12	35	11	•	•
12	40	11	•	•
12	50	11	•	•
12	65	11	•	•
12	75	11		•
14	25	10		•
14	50	10		•
14	65	10		•
14	75	10		•
14	90	10		•
14	100	10		•
14	115	10		•
14	125	10		•
14	150	10		•

Highlighted products indicate T17 Screws with/without an attached Neo (EPDM Rubber Washer).

CSK				
Gauge	Length	Threads per inch	YZC	M/G
10	40	12	•	•
10	50	12	•	•

BUGLE				
Gauge	Length	Threads per inch	YZC	M/G
14	50	10	•	•
14	75	10	•	•
14	100	10	•	•
14	150	10	•	•

# STEEL WOODSCREWS



Steel						
CSK Pozi						
Gauge	Length	Twinfast		Square	Surefast	Hingefast
		ZP	BMA	ZC	ZC	ZP
4	3/8		•			
4	1/2	•	•			
4	5/8	•	•			
4	3/4	•				
4	1		•			
5	1/2	•	•			
5	5/8	•	•			
5	3/4	•	•			
5	1	•	•			
6	1/2	•	•			
6	5/8	•	•			
6	3/4	•	•			
6	1	•	•			
6	1 1/4	•	•			
6	1 1/2	•				
7	3/4	•	•			
7	1	•	•			
7	1 1/4	•	•			
7	1 1/2	•	•			
8	1/2	•	•			
8	5/8	•			•	•
8	3/4	•	•	•	•	•
8	1	•	•	•	•	•
8	1 1/8			•	•	
8	1 1/4	•	•	•	•	•
8	1 1/2	•	•	•	•	•
8	1 5/8			•		
8	1 3/4	•	•	•	•	
8	2	•		•	•	
9	3/4	•	•			
9	1	•	•			
9	1 1/4	•				
9	1 3/4	•	•			
9	2	•	•			
10	3/4	•				
10	1	•	•			
10	1 1/4	•	•			
10	1 1/2		•			
10	2 1/2			•	•	
10	3			•	•	

**Surefast** A standard woodscrew, with four ribs under the head of the screw.

**Twinfast** Twin threaded woodscrew, with twice as many threads as a Surefast Woodscrew.

**Hingefast** A Surefast Woodscrew with no ribs under the head of the screw.

# STAINLESS STEEL WOODSCREWS



## Square Drive

### -Metric

Stainless 302			
Square Bugle			
Screw Gauge	Metric Length	Drive	Deck Screw T17
8	32	#2	•
8	41	#2	•
8	50	#2	•
8	57	#2	•
10	50	#2	•
10	70	#2	•
10	90	#2	•

### - Imperial

Stainless 302			
Sure Fast			
Screw Gauge	Metric Length	Drive	CSK T17
8	3/4	#2	•
8	1	#2	•
8	1 1/4	#2	•
8	1 1/2	#2	•
8	2	#2	•
10	1 1/2	#2	•
10	2	#2	•
10	2 1/2	#2	•
10	3	#2	•